PATIENT LEAFLET IN ACCORDANCE WITH THE PHARMACISTS' REGULATIONS

(PREPARATIONS) - 1986

This medicine is dispensed without a doctor's prescription

lodiflor Solution

active ingredient and concentration:

Povidone iodine 10% w/v (equivalent to 1% w/v iodine)

Inactive ingredients and allergens in the preparation, see section 6 "Additional information"

Read the entire leaflet carefully before using the medicine.

This leaflet contains concise information about the medicine. If you have any other questions, refer to the doctor or the pharmacist.

Use the preparation according to the instructions in the dosage section of this leaflet. Consult the pharmacist if you need further information. Refer to the doctor if the symptoms worsen or do not improve after 7 days.

1. What is the medicine intended for?

This medicine is intended for first aid for wounds, scratches and minor burns. For disinfection of wounds and minor burns and for treatment of skin infections.

Therapeutic class: antiseptic (disinfectant) agents.

2. Before using the medicine: Do not use this medicine if:

 You are sensitive (allergic) to any of the ingredients of this preparation or to iodine.

If you are sensitive to any type of food or medicine, inform the doctor before using this preparation.

Special warnings regarding the use of the medicine:

skin.

Before treatment with lodiflor Solution:

- · Consult a doctor before treating deep wounds.
- · Do not use without consulting a doctor before starting treatment if you suffer or have previously suffered from impaired function of the thyroid gland.

Drug interactions:

If you are taking, or have recently taken, other medicines including nonprescription medicines nutritional supplements, tell the doctor or pharmacist, in order to prevent risks or ineffectiveness resulting from drug interactions

Pregnancy, breastfeeding and fertility: If you are pregnant or breastfeeding, you should consult the doctor or pharmacist before using the preparation.

3. How should you use the medicine? Check with the doctor or pharmacist if you are uncertain about the dosage and how to use the preparation.

Attention: do not swallow! This preparation is intended for external use only.

How to use the preparation - general instructions:

- · You can apply lodiflor Solution directly on the skin and the wound and leave it to dry on the skin (a protective layer will form). You can also soak a gauze in the substance, place it on the wound and cover with a bandage.
- · For first aid: for treatment of a wound apply lodiflor Solution 2-4 times a day until the wound heals. For skin infections, apply lodiflor Solution as aforesaid until fully healed, or according to the doctor's instructions.
- · If there is no improvement in the condition within a week, refer to the doctor.
- · Stains on the body or on a cotton fabric

can be cleaned by washing with water. Do not exceed the recommended dose.

· Avoid use on extensive areas of the If you have taken an overdose or if a child has accidentally swallowed this medicine, go immediately to a hospital emergency room and take the package of the medicine with you.

Do not take medicines in the dark! Check the label and the dose every time you take a medicine. Wear glasses if you need them.

If you have any other questions regarding the use of the medicine, consult the doctor or the pharmacist.

4. Side effects:

As with any medicine, using lodiflor Solution may cause side effects in some users. Do not be alarmed when reading the list of side effects. You may not experience any of them.

In addition to the desired activity of the medicine, side effects may occur while using it, such as: persistent rash, irritation or swelling.

If a side effect occurs, if one of the side effects worsens, or if you suffer from a side effect not mentioned in the leaflet. consult with the doctor.

Reporting side effects

Side effects may be reported to the Ministry of Health by clicking on the link "Report side effects due to medicinal treatment" found on the Ministry of Health website homepage (www.health.gov.il). which will direct you to the online form for reporting side effects, or by clicking on the following link:

https://sideeffects.health.gov.il

5. How to store the medicine?

Avoid poisoning! This medicine and any other medicine must be kept in a closed place out of the reach and sight of children and/or infants to avoid poisoning. Do not induce vomiting without an explicit instruction from the doctor.

After opening the bottle for the first time, lodiflor Solution can be used until the expiry date.

Do not use the medicine after the expiry date (exp. date) appearing on the package. The expiry date refers to the last day of that month.

Store in a cool place, at a temperature below 25°C.

6. Additional information:

In addition to the active ingredient, the medicine also contains:

Disodium Hydrogen Phosphate, Citric Acid. Purified Water.

What does the medicine look like and what are the contents of the package? Clear dark brown liquid.

Package content: 20, 50, 100, 300 and 1000 ml. Not all package sizes may be marketed

Manufacturer and license holder: Ben Shimon Floris Ltd., Industrial Park Misgay, D.N. Misgav 2017400.

Revised in 08/2025 in accordance with the Ministry of Health guidelines.

Registration number of the medicine in the national drug registry of the Ministry of Health: 061-40-27622-00