PATIENT LEAFLET IN ACCORDANCE WITH THE PHARMACISTS' REGULATIONS (PREPARATIONS) – 1986

This medicine is dispensed without a doctor's prescription

lodiflor Ointment

The active ingredient and its concentration: Povidone iodine 10% w/w

(equivalent to 1% w/w iodine)

Inactive ingredients and allergens in the preparation, see section 6 "Additional information".

Read the entire leaflet carefully before using the medicine.

This leaflet contains concise information about the medicine. If you have any other questions, refer to the doctor or the pharmacist.

Use the preparation according to the instructions in the dosage section of this leaflet. Consult the pharmacist if you need further information. Refer to the doctor if the symptoms worsen or do not improve after 7 days.

1. What is the medicine intended for?

This medicine is intended for disinfection of wounds and minor burns and for treatment of skin infections.

Therapeutic class: antiseptic (disinfectant) agents.

2. Before using the medicine: Do not use this medicine if:

 You are sensitive (allergic) to any of the ingredients of this preparation or to iodine.

If you are sensitive to any type of food or medicine, inform the doctor before using this preparation.

Special warnings regarding the use of the medicine:

· Avoid use on extensive areas of the skin.

Before treatment with lodiflor Ointment:

- · Consult a doctor before treating deep wounds.
- Do not use without consulting a doctor before starting treatment if you suffer or have previously suffered from impaired function of the thyroid gland.

Drug interactions:

for external use only.

If you are taking, or have recently taken, other medicines including nonprescription medicines and nutritional supplements, tell the doctor or pharmacist, in order to prevent risks or ineffectiveness resulting from drug interactions.

Pregnancy, breastfeeding and fertility:

If you are pregnant or breastfeeding, you should consult the doctor or pharmacist before using the preparation.

3. How should you use the medicine?

Check with the doctor or pharmacist if you are uncertain about the dosage and how to use the preparation.

Attention: do not swallow! This preparation is intended

How to use the preparation – general instructions:

- Apply on a wound or on the treated area 2-4 times per day
- It can also be applied on a gauze and covered with a bandage.
- If there is no improvement in the condition within a week, refer to the doctor.
- Stains on the body or on a cotton fabric can be cleaned by washing with water.

Do not exceed the recommended dose.

If you have taken an overdose or if a child has accidentally swallowed this medicine, go immediately to a hospital emergency room and take the package of the medicine with you.

<u>Do not take medicines in the dark!</u> Check the label and the dose <u>every time</u> you take a medicine. Wear glasses if you need them.

If you have any other questions regarding the use of the medicine, consult the doctor or the pharmacist.

4. Side effects:

As with any medicine, using Iodiflor Ointment may cause side effects in some users. Do not be alarmed when reading the list of side effects. You may not experience any of them.

In addition to the desired activity of the medicine, side effects may appear while using it, such as: persistent rash, itching or swelling.

If a side effect occurs, if one of the side effects worsens, or if you suffer from a side effect not mentioned in the leaflet, consult with the doctor.

Reporting side effects

Side effects may be reported to the Ministry of Health by clicking on the link "Report side effects due to medicinal treatment" found on the Ministry of Health website homepage (www.health.gov.il), which will direct you to the online form for reporting side effects, or by clicking on the following link: https://sideeffects.health.gov.il

5. How to store the medicine?

Avoid poisoning! This medicine and any other medicine must be kept in a closed place out of the reach and sight of children and/or infants to avoid poisoning. Do not induce vomiting without an explicit instruction from the doctor.

The medicine may be used for up to 12 months after first opening the package.

Do not use the medicine after the expiry date (exp. date) appearing on the package. The expiry date refers to the last day of that month.

Store in a cool place, at a temperature below 25°C.

6. Additional information:

In addition to the active ingredient, the medicine also contains:

PEG 400, PEG 4000, Purified Water, Trisodium Phosphate.

What does the medicine look like and what are the contents of the package?

A dark brown ointment, with a characteristic iodine odor.

Package content: 15 gram, 50 gram, 250 gram. Not all package sizes may be marketed.

Manufacturer and license holder: Ben Shimon Floris Ltd., Industrial Park Misgay, D.N. Misgay 2017400.

Revised in 08/2025 in accordance with the Ministry of Health guidelines.

Registration number of the medicine in the national drug registry of the Ministry of Health: 141-02-31802-00